

DA 05/1



Solid, universal Digital Position Indicator with metal housing. Available with a large choice of special pitches and calibration screw for fine adjustment.

Options

- Special pitches
- Inch display of metric pitches. The entire value is used for internal calculation, but not displayed. Display value and additional calculation values are separated by „/“. Example: 4 mm = 0.15748 Inch; Display value 00.15; additional values for calculation .../ 748
- Reducing sleeves to adapt to various spindle diameters.
- Mineral glass viewing window, solvent resistant

Technical data

Counter: 5 decades, vernier scale
 Digit size: approx. 6 mm
 Hollow shaft (ø mm): 20^{H7} mm
 Housing: zinc die-casting
 Weight: 0.5 kg

Colours: orange RAL 2004
 black RAL 9005
 Counting direction: settable
 Calibration: via frontal calibration screw
 Ambient temperature: + 80°C max.


For Ordering Information, contact:
 Wood Tech Enterprises, Inc.
 1-800-Tooling (866-5464)

or 1.828.628.4414
 Fax: 1.828.628.4490


Pitch (mm)	Display after 1 revolution (comma position)			Max. speed (r/min)
1	0001.0	000.10	00010	1500
2	0002.0	000.20	00020	750
2.5	0002.5	000.25	00025	600
3	0003.0	000.30	00030	500
4	0004.0	000.40	00040	375
5	0005.0	000.50	00050	300
6	0006.0	000.60	00060	250
10	0010.0	001.00	01000	150

Note: Speeds above >500 r/min for short periods only. Other spindle pitches on request.
 DA05/1 accommodates a wide range of spindle pitches; eg. inch display from a metric spindle pitch.

DA 05/1



Display	Version / mounting position	Reducing sleeve	Count. direction
<p>Vernier scale</p>		<p>$\varnothing d^{H} = 8, 10, 12, 14, 16, 18$</p>	



For Ordering Information, contact:
 Wood Tech Enterprises, Inc.
 1-800-Tooling (866-5464)
 or 1.828.628.4414
 Fax: 1.828.628.4490

Ordering code

